

INDEX MAPS.

T. 9N, R. 4E. 2<sup>nd</sup> Mer.

	430		430		430		429		429		429
432	6	450	5	448	4	444	3	440	2	436	1 429
	<del>450</del>		<del>450</del>		<del>448</del>		<del>444</del>		<del>440</del>		<del>436</del>
432	7	453	8	447	9	443	10	439	11	435	12 428
	<del>452</del>		<del>452</del>		<del>447</del>		<del>443</del>		<del>439</del>		<del>435</del>
431	18	452	17	447	16	443	15	439	14	434	13 428
	<del>451</del>		<del>451</del>		<del>446</del>		<del>442</del>		<del>438</del>		<del>434</del>
431	19	450	20	446	21	442	22	438	23	434	24 428
	<del>450</del>		<del>450</del>		<del>446</del>		<del>442</del>		<del>438</del>		<del>433</del>
431	30	449	29	445	28	441	27	437	26	433	25 427
	<del>449</del>		<del>449</del>		<del>445</del>		<del>441</del>		<del>437</del>		<del>433</del>
431	31	448	32	445	33	441	34	436	35	432	36 427
	<del>425</del>		<del>425-426</del>		<del>425-426</del>		<del>425-426</del>		<del>425-426</del>		<del>425-427</del>

T. R. Mer.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

☞ The figures on the lines refer to the page.

Township N. 9 North, Range N. 4 East 2. Mer. Indiana

### South Boundary

West On Rand. S. boundary of Sec. 36, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 35 & 36, T9 N. R4 E.  
 Very broken land, timber Oak, Beech &c

---

West On Rand. S. boundary of Sec. 35, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 34 & 35, T9 N. R4 E.  
 Broken land, timber Oak, Beech & Hickory

---

West On Rand. S. boundary of Sec. 34, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 33 & 34, T9 N. R4 E.  
 Over rolling land, timber Oak Beech &c.

---

West On Rand. S. boundary of Sec. 33, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 48.91 a Brook 8 ch. wide Course South  
 80.00 Set temp. post Cor. to Sec. 32 & 33, T9 N. R4 E.  
 Over broken land, timber Oak &c. undergr. briars

---

West On Rand. S. boundary of Sec. 32, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.00 Set temp. post Cor. to Sec. 31 & 32, T9 N. R4 E.  
 Over broken land timber Oak &c. undergrowth briars

---

West On Random S. boundary of Sec. 31, T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 76.50 Intersected the N. & S. line 235 ch. N. of post  
 Over broken land, timber Oak &c. undergrowth briars  
 June 6<sup>th</sup> 1819

---

East On true line S. boundary of Sec. 31, T9 N. R4 E.  
 36.50 Set the q. Sec. post, from which  
 a W. Oak 18 in. dia. bears N 73 E 7 ch. dist. 8.

## T9 N R4 E 2. Mer. Indiana

76.50 a W. Oak 20 in. dia. bears S 57 W 9 lks. dist. &  
 Set a post Cor. to Sec. 31 & 32, T9 N. R4 E, from which  
 a Beech 6 in. dia. bears N 12 1/2 W 7 lks. dist. &  
 a Do 30 " " " S 5 1/2 W 6 " "

East On true line S. boundary of Sec. 32, T9 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 a B. Oak 24 in. dia. bears N 33 E 34 lks. dist. &  
 a Do 20 " " " S 33 W 16 " "  
 81.00 Set a post Cor. to Sec. 32 & 33, T9 N. R4 E, from which  
 a Sugar 10 in. dia. bears S 20 E 10 lks. dist. &  
 a Do 12 " " " N 15 E 28 " "

East On true line S. boundary of Sec. 33, T9 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears N 19 1/2 W 21 lks. dist. &  
 a Do 10 " " " S 32 E 13 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T9 N. R4 E, from which  
 a Gum 15 in. dia. bears N 70 W 25 lks. dist. &  
 a W. Oak 16 " " " S 65 1/2 E 53 " "

East On true line S. boundary of Sec. 34, T9 N. R4 E.  
 40.00 Set the q. Sec. post from which  
 a W. Oak 40 in. dia. bears S 43 E 3 lks. dist. &  
 a Gum 20 " " " N 18 W 45 " "  
 80.00 Set a post Cor. to Sec. 34 & 35, T9 N. R4 E, from which  
 a W. Oak 18 in. dia. bears N 64 W 23 lks. dist. &  
 a Hickory 4 " " " S 72 E 2 " "

East On true line S. boundary of Sec. 35, T9 N. R4 E.  
 40.00 Set the q. Sec. post, from which  
 a Maple 8 in. dia. bears S 3 E 13 lks. dist. &  
 a Beech 12 " " " N 11 W 24 " "  
 80.00 Set a post Cor. to Sec. 35 & 36, T9 N. R4 E, from which  
 a Beech 13 in. dia. bears N 48 E 13 lks. dist. &  
 a Do 9 " " " S 22 E 22 " "

Comp

T9 N. R4 E. 2<sup>nd</sup> Mer. Indiana

East On true line S. boundary of Sec. 36, T9 N. R4 E.  
 40.00 Let the g. Sec. post, from which  
     a Hickory 7 in. dia. bran N 13 E 14 lks. dist. of  
     a Maple 7 " " " S 2 W 25 " "  
 80.00 to Corner to Township, N. 8 & 9 North,  
 — Range, N. 4 & 5 East 2<sup>nd</sup> Mer.

## East Boundary

North On E. boundary of Sec. 36, T9 N. R4 E.  
 4.80 a Branch 8 lks. wide Course S. E.  
 15.14 a Beech 24 in. dia.  
 40.00 Let the g. Sec. post, from which  
     a Chas. Oak 10 in. dia. bran S 58 W 20 lks. dist. of  
     a Gum 14 " " " N 58 E 12 " "  
 47.25 a Hickory 18 " "  
 55.10 a Branch 6 lks. wide Course S. E.  
 65.46 a Hickory 24 in. dia.  
 80.00 Let a post Cor. to Sec. 25 & 36, from which  
     a Hickory 9 in. dia. bran N 71 W 6 lks. dist. of  
     a W. Oak 48 " " " S 34 W 14 " "  
 Sand rolling, timber Beech, Hickory, Poplar &c  
 under <sup>the</sup> Logwood.

North On E. boundary of Sec. 25, T9 N. R4 E.  
 23.00 a Branch 8 lks. wide Course S. E.  
 23.40 an Elm 24 in. dia.  
 40.00 Let the g. Sec. post, from which  
     a Beech 15 in. dia. bran N 51 W 20 lks. dist. of  
     a Elm 18 " " " S 52 E 22 " "  
 — 90 a W. Oak 36 " "  
 72.75 a W. Oak 36 " "  
 80.00 Let a post Cor. to Sec. 24 & 25, from which  
     a W. Oak 18 in. dia. bran S 18 W 31 lks. dist. of  
     a Chas. Oak 6 " " " N 11 1/2 E 10 " "  
 Over rolling land, timber Beech & Oak  
 under <sup>the</sup> Logwood briars &c.



## T9N, R4E, T. Mer. Indiana

North On E. boundary of Sec. 24, T9N, R4E.

31.70 a Creek 50 lks wide Course S.E.

40.00 Set the q. Sec. post, from which  
a Beech 9 in. dia. bray N 64 W 12 lks. dist. of  
a Elm 24 " " " N 19 E 8 " "

62.75 a Beech 20 " "

80.00 Set a post Cor. to Sec. 13 of 24, from which  
a W. Oak 20 in. dia. bray S 55 W 8 lks. dist. of  
a Dogwood 6 " " " N 35 W 8 " "  
Over rolling land timber Beech, Oak &c.  
under Ironwood &c. Soil good

North On E. boundary of Sec. 13, T9N, R4E.

16.14 a Branch 8 lks. wide Course S.E.

32.75 a Hickory 14 in. dia.

40.00 Set the q. Sec. post, from which  
an Ironwood 3 in. dia. bray S 60 W 6 lks. dist. of  
a Beech 7 " " " S 61 E 20 " "

53.70 a Creek 30 lks. wide Course S.E.

60.00 a Beech 18 in. dia.

80.00 Set a post Cor. to Sec. 12 of 13, from which  
a Beech 6 in. dia. bray S 23 W 13 lks. dist. of  
a Do 27 " " " N 29 E " "  
1<sup>st</sup> 1/2 mile level land - last 1/2 broken, timber  
Beech & Oak, under Ironwood

North On E. boundary of Sec. 12, T9N, R4E.

16.23 a W. Oak 40 in. dia.

27.05 a Creek 30 lks. wide Course S.E.

40.00 Set the q. Sec. post, from which  
a Beech 20 in. dia. bray S 57 W 9 lks. dist. of  
a Do 30 " " " N 15 W 13 " "

63.12 a W. Oak 15 " "

80.00 Set a post Cor. to Sec. 1 of 12, from which  
a Beech 14 in. dia. bray S 24 W 5 lks. dist. of  
a W. Oak 36 " " " N 17 E 44 " "

# T9 North, R4 E. 2<sup>nd</sup> Mer. Indiana

This mile over broken land, timber Oak, Beech,  
 &c. underg<sup>th</sup> Oak, Sassafras, Greenbrier, &c. Soil good.

North On E. boundary of Sec. 1, T9 N. R4 E.

1.42 a Red Oak 30 in. dia.

16.80 a Branch 6 lks. wide Course S. E.

40.00 Let the q. Sec. post, from which  
 a Dogwood 8 in. dia. bear S 31 W 17 lks. dist. of  
 a Do 5 " " " N 36 E 18 " "

44.52 a W. Oak 30 in. dia.

79.17 Let a post Cor. to Townships N<sup>o</sup> 9 of 10 North  
 Ranges 4 & 5 East from which  
 a Beech 12 in. dia. bear N 28 E 18 lks. dist. of  
 a Do 8 " " " S 21 E 18 " "

## North Boundary

West On S. boundary of Sec. 36, T10 N. R4 E.

24.13 a Brook 14 lks. wide Course S. E.

40.00 Let the q. Sec. post, from which  
 a Sugar 12 in. dia. bear S 51 W 20 lks. dist. of  
 a Hickory 14 " " " N 60 E 20 " "

80.00 Let a post Cor. to Sec. 35 & 36, T10 N. R4 E, from which  
 a Beech 7 in. dia. bear S 79 W 24 lks. dist. of  
 a Do 8 " " " S 89 E 35 " "  
 Over broken land, timber Beech, Oak, Hickory &c.

West on S. boundary of Sec. 35, T10 N. R4 E.

40.00 Let the q. Sec. post, from which  
 a Beech 12 in. dia. bear N 75 E 29 lks. dist. of  
 a Do 7 " " " N 46 W 25 " "

80.00 Let a post Cor. to Sec. 34 & 35, T10 N. R4 E, from which  
 a Beech 20 in. dia. bear N 53 E 24 lks. dist. of  
 a Poplar 40 " " " N 82 W 37 " "  
 Over broken land Oak, Beech &c.

West On S. boundary of Sec. 34, T10 N. R4 E.

T9 N. R4 E. 2<sup>nd</sup> Mer. Indiana

40.00 Set the q. Sec. post, from which  
 a Sugar 12 in. dia. beam S79 E 6 lks. dist. of  
 a Beech 6 " " " N28 W 14 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T10 N. R4 E. from which  
 a Dogwood 6 in. dia. beam S73 E 11 lks. dist. of  
 an Elm 12 " " " N46 W 9 " "  
 Over broken land, timber Oak, Beech &c.

Met On S. boundary of Sec. 33, T10 N. R4 E

7.00 a creek 20 lks. wide Course S.W.

40.00 Set the q. Sec. post, from which  
 a W. Oak 24 in. dia. beam S50 E 38 lks. dist. of  
 a Beech 14 " " " N53 W 20 " "  
 80.00 Set a post Cor. to Sec. 32 & 33, T10 N. R4 E. from which  
 a Beech 13 in. dia. beam S52 E 13 lks. dist. of  
 a Maple 8 " " " N26 W 21 " "  
 Over very broken land, timber Oak, Beech &c.

Met On S. boundary of Sec. 32, T10 N. R4 E.

40.00 Set the q. Sec. post, from which  
 a Hickory 12 in. dia. beam N49 E 4 lks. dist. of  
 a W. Oak 6 " " " S34 W 10 " "

64.39 a Creek 50 lks. wide Course N.W.

80.00 Set a post Cor. to Sec. 31 & 32, T10 N. R4 E. from which  
 a W. Oak 24 in. dia. beam S69 E, 6 lks. dist. of  
 a Dogwood 6 " " " S77 W 16 " "  
 Over very broken land, timber Oak, hickory &c.

Met On S. boundary of Sec. 31, T10 N. R4 E.

40.00 Set the q. Sec. post, from which  
 an Elmwood 7 in. dia. beam S88 E 15 lks. dist. of  
 a Beech 12 " " " N83 W 9 " "

73.13 Intersected the Range line at the Corner of  
 Townships 9 & 10 N. Ranges 3 & 4 East  
 Over very broken land, timber Oak & Hickory



T9 N. R4 E. 2<sup>nd</sup> Mer. Indiana

West Boundary var. 7<sup>th</sup> 00' E.  
 North On E. boundary of Sec. 36, T9 N. R3 E.  
 23.18 an Oak 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 14 in. dia. bear N43 E 9 lks. dist. of  
     a do 7 " " " N63 W 19 " "  
 66.50 a Brook 10 lks. wide Course West  
 80.00 Set a post Cor. to Sec. 25 & 36, T9 N. R3 E, from which  
     a Poplar 20 in. dia. bear N81 E 9 lks. dist.  
     no other near.  
 Over very broken land, Oak &c. undg<sup>th</sup> Oak.

North On E. boundary of Sec. 25, T9 N. R3 E.  
 7.50 a Brook 15 lks. wide Course West  
 40.00 Set the q. Sec. post, from which  
     a Beech 10 in. dia. bear N42 E 20 lks. dist. of  
     a do 8 " " " N41 E 16 " "  
 63.75 a R. Oak 18 " "  
 80.00 Set a post Cor. to Sec. 24 & 25, T9 N. R3 E, from which  
     an Oak 20 in. dia. bear N83 W 10 lks. dist. of  
     a do — " " " N69 E 20 " "  
 Over brushy broken land timber Oak &c.

North On E. boundary of Sec. 24, T9 N. R3 E.  
 4.90 a Creek 20 lks. dist. wide Course West  
 40.00 Set the q. Sec. post, from which  
     a Sugar 12 in. dia. bear N84 W 7 lks. dist. of  
     a Poplar 36 " " " East 28 " "  
 80.00 Set a post Cor. to Sec. 13 & 24, T9 N. R3 E, from which  
     a W. Oak 24 in. dia. bear N45 W 21 lks. dist. of  
     a Hickory 16 " " " N71 E 12 " "  
 Over brushy broken land, timber Oak &c.

North On E. boundary of Sec. 43, T9 N. R3 E.  
 40.00 Set the q. Sec. post, from which  
     a W. Oak 18 in. dia. bear N77 W 27 lks. dist. of



T9 N. R4 E. 2<sup>nd</sup> Mer. Indiana

a Beech 12 in. dia. brang N 33 E, 32 lks. dist.  
 80.00 Set a post Cor. to Sec. 12 of 13, T9 N. R3 E, from which  
 a Beech 10 in. dia. brang S 87 E 18 lks. dist. of  
 a Do 14 " " " N 70 W 21 " "  
 Over brushy broken land timber Oak &c.

North On E. boundary of Sec. 12, T9 N. R3 E.  
 13.50 a Brook 10 lks. wide Course West  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. brang S 73 E 15 lks. dist. of  
 a Dogwood 4 " " " S 3 E 4 " "  
 80.00 Set a post Cor. to Sec. 1 of 12, T9 N. R3 E, from which  
 a Beech 5 in. dia. brang N 67 E 7 lks. dist. of  
 a H. Oak 20 " " " S 55 E 15 " "  
 Over Mountains, timber Oak &c.

North On E. boundary of Sec. 1, T9 N. R3 E.  
 32.70 a Creek 150 lks. wide Course N.  
 40.00 Set the q. Sec. post, from which  
 a Sugar 18 in. dia. brang S 10 E 28 lks. dist. of  
 an Elm 20 " " " N 23 W 34 " "  
 52.60 a Sugar 15 " " in the line  
 65.00 a Creek 150 lks. wide Course S. E.  
 80.00 Set a post Cor. to Townships 9 of 10 North  
 Ranges 3 of 4 East, from which  
 a Beech 6 in. dia. brang S 31 W 14 lks. dist. of  
 a Sugar 10 " " " S 48 E 5 " "  
 First 1/2 mile over Mountain - last 1/2  
 Creek bottom low ground, good soil  
 June 5<sup>th</sup> 1819

Surveyed by John McDonald, M.S.

Subdivision. Aug. 5. 1819. var. 6. 30. 1/2 E.  
 North Between Sec. 35 of 36, T9 N. R4 E.  
 20.96 a Chest. Oak 26 in. dia. in the line  
 40.00 Set the q. Sec. post, from which

T9 N R4 E 2<sup>d</sup> Mer. Indiana

a Chest. Oak 10 in. dia. bray N 8 E 20 lks. dist. of  
 a Do 15 " " " N 44 E 16 " "  
 80.00 Set a post Cor. to Sec. 25, 26, 35 & 36, from which  
 a Chest. Oak 24 in. dia. bray N 11 E 11 lks. dist. of  
 a Do 20 " " " N 37 W 18 " "  
 Sand hilly, timber Chest. Oak, Hickory &c.  
 undg.<sup>th</sup> Ironw. Dogw. N. Oak, Beech &c. 3<sup>d</sup> rate

East On Rand. between Sec. 25 & 36, T9 N. R4 E.

40.00 Set temp. q. Sec. post

79.90 Intersected the E. boundary 17 1/2 lks. S. of post  
 Sand hilly, timber Beech, N. Chest. Oak, undg.  
 Ironw. Dogw. N. Oak, Beech &c. 3<sup>d</sup> rate

West Corrected between Sec. 25 & 36, T9 N. R4 E.

3.25 a Hickory 20 in. dia. in the line

39.95 Set q. Sec. post at average dist. from which  
 a Chest. Oak 6 in. dia. bray N 83 W 17 lks. dist. of  
 a Hickory 8 " " " N 86 E 25 " "

79.90 to Sec. Corner

North Between Sec. 25 & 26, T9 N. R4 E.

40.00 Set the q. Sec. post, from which

a Hickory 12 in. dia. bray N 79 W 28 lks. dist. of  
 a Sassafras 4 " " " N 2 1/2 W 23 " "

44.40 a N. Oak 20 " " in the line

47.50 a Creek 20 lks. wide Course East

80.00 Set a post Cor. to Sec. 23, 24, 25 & 26, from which  
 a Sugar 12 in. dia. bray N 84 E 19 lks. dist. of  
 a C. Oak 24 " " " N 41 W 33 " "

Sand hilly, timber Beech, N. Chest. Oak,  
 Gum &c. undg.<sup>th</sup> Dogwood, Ironw. Hazel &c. 3<sup>d</sup> rate

East On Rand. between Sec. 24 & 25, T9 N. R4 E.

35.00 a Creek 20 lks. wide Course North

40.00 Set temp. q. Sec. post,

T9 N. R4 E. 2<sup>d</sup>. Mer. Indiana

79.94 Intersected the E. boundary 275 lks. S. of post  
Land hilly, timber W. & E. Chest. Oak, Beech,  
Gum, undg.<sup>th</sup> Dogw, Ironw. W. Oak, hick etc. 3<sup>d</sup> rate

West Corrected between Sec. 24 & 25, T9 N. R4 E.

8.46 a Chest. Oak 18 in. dia. in the line

39.97 Set q. Sec. post at average dist. from which  
a Beech 12 in. dia. bears S 30 W 14 lks. dist. of  
an Ash 18 " " " N 57 E 22 " "

79.94 to Sec. Corner. Sept. 6. 1819

North Between Sec. 23 & 24, T9 N. R4 E.

36.80 a B. Oak 20 in. dia. in the line

40.00 Set the q. Sec. post, from which  
a W. Oak 14 in. dia. bears N 10 E 19 lks. dist. of  
a Dogwood 4 " " " S 46 E 6 1/2 " "

52.90 a Sugar 14 " " in the line

53.50 a Creek 8 lks. wide Course East

80.00 Set a post Corner to Sec. 13, 14, 23 & 24, from which  
a B. Oak 24 in. dia. bears N 61 E 21 lks. dist. of  
a Dogwood 4 " " " N 58 W 17 " "

Land hilly timber W. & B. Oak Hickory Beech undery<sup>th</sup>  
Dog. Ironwood W. Oak. 3<sup>d</sup> rate

East On Random between Sec. 13 & 24, T9 N. R4 E.

40.00 Set temp. q. Sec. post

79.80 Intersected the E. boundary 300 lks. South of post  
Land hilly W. & E. Oak timber undergrowth same

West Corrected between Sec. 13 & 24, T9 N. R4 E.

39.90 Set q. Sec. post at average dist. from which  
a Hickory 4 in. dia. bears S 34 W 3 lks. dist. of  
a Dogwood 3 " " " N 74 E 9 " "

79.80 to Section Corner

North Between Sec. 13 & 14, T9 N. R4 E.



T9 N R4 E 2<sup>nd</sup> Mer. Indiana

- 31.90 a W. Oak 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Ch. Oak 18 in. dia. bears N 38 E 22 lks. dist. 4  
 a Do 20 " " " S 25 1/2 W 40 " "  
 55.00 a Creek 15 lks. wide Course N 50 E.  
 58.00 a Do 10 " " " East  
 69.80 a W. Oak 24 in. dia. in the line  
 80.00 Set a post Cor. to Secs. 11, 12, 13, 14, from which  
 a Beech 10 in. dia. bears N 35 E 10 lks. dist. 4  
 a W. Oak 26 " " " S 35 W 37 " "  
 Land rolling timber W. Oak B. Oak Beech Hickory Ironw?  
 Dogw? Sasapras undergrowth 3<sup>rd</sup> rate.

East On Prandome between Secs. 12 & 13, T9 N, R4 E.

- 40.00 Set temp. q. Sec. post  
 79.76 Intersected the E. boundary 308 lks. South of post  
 Land Hilly broken and poor timber Beech W. B. Oak  
 Hickory Gum — undergrowth Dogw? Iron? W. Oak Beech &c.

West Corrected between Secs. 12 & 13, T9 N, R4 E.

- 39.88 Set q. Sec. post at average dist. from which  
 a Beech 3 in. dia. bears N 69 W 11 lks. dist. 4  
 a Dogwood 6 " " " S 70 E 24 " "  
 79.76 To Section Corner

North Between Secs. 11 & 12, T9 N, R4 E.

- 7.84 a W. Oak 14 in. dia. in the line  
 32.50 a Do 24 " " " " "  
 40.00 Set the q. Sec. post, from which  
 a Hickory 15 in. dia. bears N 27 W 15 lks. dist. 4  
 a Maple 12 " " " S 8 E 12 " "  
 57.00 a Creek 15 lks. wide Course East  
 64.00 a B. Oak 36 in. dia. in the line  
 65.50 a Creek 10 lks. wide Course at E.  
 80.00 Set a post Cor. to Secs. 1, 2, 11 & 12, from which  
 a Beech 14 in. dia. bears N 51 1/2 W 14 lks. dist. 4

S 9 N R 4 E, T<sup>r</sup>. Mer. Indiana

a Beech 18 in. dia. bears S 22 $\frac{1}{2}$  E 26 lks. dist.  
 Land Hilly last  $\frac{1}{2}$  mile rolling timber 1 Beech W. Oak  
 B. Oak R. Oak Hickory Gum Dogwood Sassafras 3<sup>d</sup>. rate

East On Random between Sec. 1 & 2, S 9 N, R 4 E,

20.00 a Creek 5 lks. wide Course South

40.00 Set temp<sup>y</sup>. of Sec. post

79.90 Intersected the E. boundary 33 $\frac{1}{2}$  lks. South of post  
 Land broken Hilly & poor timber W. & B. Oak 1 Beech Gum  
 Underg<sup>g</sup>. Iron? Log? Hickory W. Oak Gum briars 3<sup>d</sup>. rate

West Corrected between Sec. 1 & 2, S 9 N, R 4 E,

14.50 a Hickory 12 in. dia. in the line

39.95 Set of Sec. post at average dist. from which  
 a Gum 18 in. dia. bears S 38 $\frac{1}{2}$  E 20 lks. dist.  $\frac{1}{2}$   
 a Dogwood 3 " " " S 42 $\frac{1}{2}$  W 4 " "

79.90 To Section Corner

North Between Sec. 1 & 2, S 9 N, R 4 E,

6.85 a B. Oak 24 in. dia. in the line

21.90 a Do 26 " " " "

40.00 Set the of Sec. post, from which  
 a Beech 20 in dia. bears N 4 $\frac{1}{2}$  W 29 lks. dist.  $\frac{1}{2}$   
 a Do 8 " " " S 46 $\frac{1}{2}$  W 11 " "

65.40 a W. Oak 36 " " in the line

82.30 Intersected the N. boundary 87 lks. East of post

Set a post Cor. To Sec. 1 & 2, from which  
 a Poplar 13 in. dia. bears N 42 $\frac{1}{2}$  W 23 lks. dist.  $\frac{1}{2}$   
 a Beech 13 " " " S 69 E 11 " "

Land Hilly timber W. B. & R. Oak Hickory poplar  
 Beech & underg<sup>g</sup>. W. Oak B. Oak Hickory Beech 3<sup>d</sup>. rate

North Between Sec. 34 & 35, S 9 N, R 4 E,

Sept. 7<sup>th</sup> 1819

8.50 a B. Oak 24 in. dia. in the line

28.46 a Do 20 " " " "

40.00 Set the of Sec. post, from which

# T9 N R4 E. 2<sup>nd</sup> Mer. Indiana

- a Beech 10 in. dia. bears S 77 E 4 lks. dist. 4  
 a do 13 " " " N 76 W 25 " "  
 74.15 a W. Oak 24 " " in the line  
 80.00 Set a post Cor. To Secs. 26, 27, 34, 4, 35, from which  
 a P. Oak 14 in. dia. bears N 43 W 10 lks. dist. 4  
 a Dog? 6 " " " S 49 E 25 " "  
 Land broken high and steep hills, timber Beech W. & B.  
 Oak Hickory undergrowth Dog? Iron? Sassafras? Buckeye 3. rate

- East On Random between Secs. 26 & 35, T9 N, R4 E.  
 40.00 Set temp. q. Sec. post  
 44.50 a Creek 20 lks. wide Course N.E.  
 80.00 Intersected the N. & S. line 11 lks. North of post.  
 Land hilly some little bottom on the timber W. Oak  
 B. & Chut. Oak Gum Beech & under? Dog? Iron? Buckeye 3. rate

- West Corrected between Secs. 26 & 35, T9 N, R4 E.  
 40.03 Set q. Sec. post at average dist. from which  
 a Gum 7 in. dia. bears N 43 W 20 lks. dist. 4  
 a W. Oak 20 " " " S 79 E 24 1/2 " "  
 80.06 To Section Corner

- North Between Secs. 26 & 27, T9 N, R4 E.  
 18.40 a Poplar 24 in dia. in the line  
 29.30 a P. Oak 24 " " " " "  
 35.00 a Creek 15 lks. wide Course East  
 40.00 Set the q. Sec. post from which  
 a W. Oak 18 in. dia. bears North 1 lks. dist. 4  
 a do 12 " " " S 53 W 34 " "  
 58.35 a Poplar 24 " " in the line  
 80.00 Set a post Cor. To Secs. 22, 23, 26 & 27, from which  
 a Beech 20 in. dia. bears N 49 W 27 lks. dist. 4  
 a do 12 " " " S 78 E 30 " "  
 Land very hilly steep & high timber W. & B. Oak Hickory  
 Beech Gum &c. undergrowth Ironwood Dogwood Beech 3. rate



# Sg N R 4 E 2<sup>d</sup> Mer Indiana

East On Random between Sec. 23 & 26, Sg N. R 4 E.

40.00 Set temp. q. Sec. post

51.50 a Creek 20 lks. wide Course S. 45 E.

79.95 Intersected the N. & S. line 23 lks. South of post  
Land Hilly poor and Stony very broken timber W. Oak  
B. Oak Poplar Beech Gum & undergrowth Dog?  
Ironwood Beech W. Oak Sassafras 3<sup>d</sup> rate

West Corrected between Sec. 23 & 26 Sg N. R 4 E.

39.97<sup>1/2</sup> Set q. Sec. post <sup>at average dist.</sup> from which  
a Beech 14 in. dia. bears N 44 W 5 lks. dist. &  
a Do 8 " " " S 28 E 19 " "

79.95 To Section Corner

North Between Sec. 22 & 23, Sg N. R 4 E.

9.00 a Creek 10 lks. wide Course S. 70 E.

10.40 an Ash 24 in. dia. in the line

40.00 Set the q. Sec. post, from which  
a W. Oak 12 in. dia. bears N 57 E 36 lks. dist. &  
a Ch. Oak 14 " " " S 82 W 30 " "

45.80 a W. Oak 18 " " in the line

80.00 Set a post Cor. to Sec. 14, 15, 22 & 23, from which  
a W. Oak 10 in. dia. bears N 80 W 27 lks. dist. &  
a Do 18 " " " N 38 E 17 " "  
Land rough steep Hilly and rocky timber W. Oak B.  
Oak Beech C. Oak - undergrowth Ironwood Dog? W. Oak  
Beech Sassafras 3<sup>d</sup> rate -

East On Random between Sec. 14 & 23, Sg N. R 4 E.

40.00 Set temp. q. Sec. post

80.00 Intersected the N. & S. line 7 lks. S. of post,  
Land hilly & poor, timber W. Oak, Beech,  
Gum &c. und<sup>g</sup>. Ironw. Dogw. W. Oak, Beech,  
Sassafras, 3<sup>d</sup> rate. Sept. 5<sup>th</sup> 1819.

West Corrected between Sec. 14 & 23, Sg N. R 4 E.

## T9 N. R4 E. 2. Mer. Indiana

6.72 a W. Oak 14 in. dia. in the line  
 40.00 Set the gr. Sec. post, from which  
 a W. Oak 15 in. dia. bears N45 W 14 lks. dist. of  
 a Do 12 " " " N19 E 21 " "  
 80.00 to Sec. Corner. Sept. 8<sup>th</sup> 1819

North Between Sec. 14 & 15, T9 N. R4 E.

21.70 a Beech 12 in. dia. in the line  
 31.90 a W. Oak 18 " " " "  
 40.00 Set the gr. Sec. post, from which  
 a W. Oak 14 in. dia. bears S81 W 14 lks. dist. of  
 a Beech 10 " " " N83 E 14 " "  
 69.50 a W. Oak 24 " " in the line  
 80.00 Set a post Cor. to Sec. 10, 11, 14 & 15, from which  
 a Beech 12 in. dia. bears N88 E 20 lks. dist. of  
 a W. Oak 12 " " " S69 W 16 1/2 " "  
 Land hilly, some stony, timber, Chest. <sup>top</sup> W. Oak  
 Beech, Hickory, underg. <sup>th</sup> Dogwood. Ironwood  
 Hickory, & W. Oak, 3. rate.

East On Land between Sec. 14 & 15, T9 N. R4 E.

40.00 Set temp. gr. Sec. post  
 79.80 Intersected the N. & S. line 81 lks. S. of post  
 Land broken thickets and very poor, timber  
 W. Oak, & W. Oak, Hickory &c. underg. <sup>th</sup> Dogwood.  
 Ironw. Beech, W. Oak, Greenbrier &c. 3. rate

West Corrected between Sec. 14 & 15, T9 N. R4 E.

6.70 a W. Oak 20 in. dia. in the line  
 39.90 Set gr. Sec. post at average dist. from which  
 a Poplar 8 in. dia. bears N68 W 5 lks. dist. of  
 an Aspin 8 " " " N73 E 9 " "  
 79.80 to Sec. Corner

North Between Sec. 10 & 11, T9 N. R4 E.

5.50 a W. Oak 24 in. dia. stands in the line

T9 N. R4 E. 2<sup>d</sup>. Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
a Beech 10 in. dia. bears N 67 W 4 lks. dist. &  
a Ch. Oak 14 " " " S 65 E 17 " "  
45.85 a W. Oak 24 " " in dia. in the line  
80.00 Set a post Cor. to Sec. 2, 3, 10 & 11, from which  
a Beech 13 in. dia. bears N 61 E 33 lks. dist. &  
a Do 15 " " " S 72 W 12 " "  
Land rough & hilly & rocky, timber W. & B. Oak  
Cum &c. under. W. Oak, Beech, Ironw. Dogw.  
& green briar 3<sup>d</sup> rate.

East On Land<sup>m</sup>. between Sec. 2 & 11, T9 N. R4 E.

- 35.00 a Creek 8 lks. wide Course S. E.  
40.00 Set temp. q. Sec. post  
50.00 a Creek 10 lks. wide Course South  
70.50 a Do. 10 " " " South  
79.72 Intersected the N. & S. line 80 lks. South of post  
Land rolling - timber Beech W. & B. Oak Gum under.  
Dogw. Iron. W. & B. Oak & 3<sup>d</sup> rate

## West Corrected between Sec. 2 &amp; 11, T9 N. R4 E.

- 33.64 a Beech 14 in. dia. in the line  
39.86 Set q. Sec. post, at average dist. from which  
a Beech 15 in. dia. bears West 20 lks. dist. &  
a B. Oak 14 " " " S 55 E 19 " "  
79.72 to Section Corner

## North Between Sec. 2 &amp; 3, T9 N. R4 E.

- 40.00 Set the q. Sec. post, from which  
a Hickory 20 in. dia. bears S 84 E 44 1/2 lks. dist. &  
a Dogwood 6 " " " N 51 W 46 " "  
60.40 a B. Oak 24 " " in the line  
82.27 Intersected the N. boundary 1.50 lks. East of post  
Set a post Cor. to Sec. 2 & 3, from which  
a Poplar 24 in. dia. bears S 58 E 12 lks. dist. &  
a Sugar 10 " " " N 76 W 24 1/2 " "



# Sg N R 4 E. 2<sup>d</sup> Mer. Indiana

Land first 1/2 mile Hilly Stony and poor last Rolling  
timber W. Oak Beech Sugar Ash Poplar & Gum Open  
wood 2<sup>d</sup> Rate - Sept. 9<sup>th</sup> 1819

North Between Secs. 33 & 34, Sg N. R 4 E.  
40.00 Set the q. Sec. post, from which  
a Hickory 18 in. dia. bears N 22 E 12 lks. dist. &  
a Dogwood 4 " " " S 1 W 14 " "  
49.20 a Beech 14 " " in the line  
80.00 Set the post Cor. to Sec. post 27, 28, 33 & 34, from which  
a Ck. Oak 18 in. dia. bears N 39 W 18 lks. dist. &  
a Do 15 " " " S 49 E 16 " "  
Land very Hilly Steep and Stony broken thickets the whole  
Mile poor 3<sup>d</sup> rate timber b. W. Oak undergrowth B. Sack  
Hickory Grape vines & Green briars -

East On Pradom between Secs. 27 & 34, Sg N. R 4 E.  
40.00 Set temp. q. Sec. post  
80.00 Intersected the N. & S. line 50 lks. south of post  
Land Rolling some Steep gullies - timber W. C. Oak Hickory  
Gum &c. and W. Dog. Iron. W. & B. Oak Green briar 3<sup>d</sup> rate

West Corrected between Secs. 27 & 34, Sg N. R 4 E.  
40.00 Set q. Sec. post at average dist. from which  
a W. Oak 12 in. dia. bears N 71 W 10 lks. dist. &  
a Do 14 " " " S 50 E 24 " "  
80.00 To Section Corner

North Between Secs. 27 & 28, Sg N. R 4 E.  
26.20 a W. Oak 18 in. dia. in the line  
40.00 Set the q. Sec. post, from which  
a C. Oak 18 in. dia. bears N 50 W 36 lks. dist. &  
a B. Oak 10 " " " S 30 E 29 " "  
47.70 a Poplar 24 " " in the line  
80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which  
a C. Oak 18 in. dia. bears N 36 W 28 lks. dist.

# Sgt R4E, T. Mer. Indiana

a W. Oak 14 in. dia. bears S44 1/2 E 25 lks. dist.  
Land very broken poor and stony steep gully Sharp  
Ridges - timber beech. W. Oak under. Dog? B. Jack  
Sassafras W. Oak Hickory and green briars 3. rate

East On Random between Sec. 22 & 27, T9 N, R4 E.

40.00 Set temp. g. Sec. post

80.00 Intersected the N. & S. line 3 lks. South of post  
Land Hilly stony and poor timber c. W. & B. Oak Gum  
Beech &c. under. Dog? Iron? B. Jack No Green briars 3. rate

West Corrected between Sec. 22 & 27, T9 N, R4 E.

11.02 Beech 15 in. dia. in. the line

40.00 Set g. Sec. post at average dist. from which  
a Beech 10 in. dia. bears S19 E 32 lks. dist. &  
a Gum 10 " " " N7 E 12 " "

80.00 To Section Corner

North Between Sec. 21 & 22, T9 N, R4 E.

40.00 Set the g. Sec. post, from which

a Beech 12 in. dia. bears N17 W 28 lks. dist. &

a No 14 " " " S30 E 27 " "

44.26 a W. Oak 14 " " in the line

64.08 a No 16 " " " " "

80.00 Set a post Cor. to Sec. 15, 16, 21 & 22, from which  
a Hickory 10 in. dia. bears S50 1/2 W 2 lks. dist. &  
a No 9 " " " N27 1/2 W 8 " "  
Land broken steep gullies poor and stony - timber  
W. & B. Oak, Gum Hickory Beech Iron? under?  
Dog? Sassafras W. Oak Beech B. Oak B. Jack 3. rate

East On Random between Sec. 15 & 22, T9 N, R4 E.

40.00 Set temp. g. Sec. post.

79.82 Intersected the N. & S. line 39 lks. N. of post

Land rolling thickety and poor - timber W. & B. Oak  
Hickory Gum & some Beech undergrowth Iron?

T9 N R4 E 2<sup>d</sup> Mer. Indiana

Wlog<sup>d</sup>. W. B. Oak Sassafras & Green briars 3<sup>d</sup> rate —

West Corrected between Sec<sup>s</sup>. 15 & 22, T9 N R4 E.  
 3.46 a W. Oak 14 in. dia<sup>r</sup>. in the line  
 39.91 Set of<sup>t</sup>. Sec. post. at average dist. from which  
 a W. Oak 18 in. dia<sup>r</sup>. bears S 75 E 19 lks. dist. &  
 a Dogwood 4 " " " S 50 W 20 " "  
 79.82 to Section Corner Sept. 10<sup>th</sup> 1819

North Between Sec<sup>s</sup>. 15 & 16, T9 N R4 E.  
 11.50 a Creek 10 lks. wide Course N. 40 E.  
 40.00 Set the of<sup>t</sup>. Sec<sup>s</sup> post<sup>s</sup>. from which  
 a W. Oak 6 in. dia<sup>r</sup>. bears S 15 W 18 lks. dist. &  
 a Hickory 14 " " " N 83 E 14 1/2 " "  
 79.00 a W. Oak 14 in. dia<sup>r</sup>. in the line  
 80 00 Set a post Cor to Sec<sup>s</sup>. 9, 10, 15 & 16, from which  
 a W. Oak 18 in. dia<sup>r</sup>. bears N 36 W 23 lks. dist. &  
 a Do 14 " " " S 61 1/2 E 44 " "  
 Land Hilly and poor — timber W. & B. Oak Hickory.  
 Beech & undergrowth Sassafras Wlog<sup>d</sup>. Hickory 3<sup>d</sup> rate

East On Pradom between Sec<sup>s</sup>. 10 & 15, T9 N R4 E.  
 9.00 a Creek 10 lks. wide Course N.  
 40.00 Set temp<sup>y</sup>. of<sup>t</sup>. Sec. post  
 79 86 Intersected the N. & S. line 70 lks. South of post  
 Land Hilly and thickety timber as before

West Corrected between Sec<sup>s</sup>. 10 & 15, T9 N R4 E.  
 14.36 a poplar 34 in. dia<sup>r</sup>. in the line  
 39.93 Set of<sup>t</sup>. Sec. post at average dist. from which  
 a Beech 12 in. dia<sup>r</sup>. bears N 62 W 5 lks. dist. &  
 a B. Oak 12 " " " S 89 E 30 " "  
 79.86 to Section Corner

North Between Sec<sup>s</sup>. 9 & 10, T9 N R4 E.  
 22.40 a B. Oak 26 in. dia<sup>r</sup>. in the line



T9 N R4 E, 2<sup>d</sup>. Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Sugar 4 in. dia. bears S 65 $\frac{1}{2}$  W 2 lks. dist.  $\frac{1}{4}$   
 a Do 15 " " " N 46 E 17 " "
- 44.00 a Creek 15 lks. wide Course N 20 W
- 90.00 Set a post Cor. to Sec<sup>s</sup>. 3, 4, 9, & 10, from which  
 a Beech 10 in. dia. bears S 67 W 19 lks. dist.  $\frac{1}{4}$   
 a Sugar 9 " " " S 50 E 3 $\frac{1}{4}$  " "  
 Land broken in to huge ridges & deep gulfs - timber  
 Beech W. C. Oak Sugar Poplar Gum &c. undergrowth  
 Ironwood Dog. green briars 3<sup>d</sup>. Mate

East On Pradon between Sec<sup>s</sup>. 3, & 10, T9 N. R4 E,

- 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.80 Intersected the N. & E. line, 78 lks. South of post  
 Land High some pretty good timber Beech Poplar  
 W. Oak P. Oak Beech Hick<sup>y</sup>. una<sup>th</sup>. Dog. Iron?  
 first  $\frac{1}{4}$  Mile 2<sup>d</sup>. rate last 3<sup>d</sup>. rate

West Corrected between Sec<sup>s</sup>. 3 & 10, T9 N. R4 E.

- 17.78 a W. Oak 15 in. dia. in the line  
 39.90 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a W. Oak 12 in. dia. bears S 59. E 13 lks. dist.  $\frac{1}{4}$   
 a Dogwood 6 " " " S 39 W 24 " "  
 79.80 to Section Corner

North Between Sec<sup>s</sup>. 3 & 4, T9 N R4 E.

- 20.28 a Hick<sup>y</sup>. 18 in. dia. in the line  
 36.50 a Creek 5 lks. wide Course West  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a Beech 10 in. dia. bears N 53 E 36 lks. dist.  $\frac{1}{4}$   
 a Do 12 " " " S 1 $\frac{1}{2}$  E 17 " "  
 69.50 a Creek 15 lks. wide Course West  
 82.40 Intersected the N. boundary 2.78 lks. East of post  
 Set a post Cor. to Sec<sup>s</sup>. 3 & 4, from which  
 a Beech 14 in. dia. bears N 77 W 9 lks. dist.  $\frac{1}{4}$   
 a Do 9 " " " S 68 E 21 " "

# Sg N R4 E. 2<sup>nd</sup> Mer. Indiana

Land Brough & Rocky Hills, deep gulfs &c. timber Beech  
Poplar W. Oak Gum Sugar, underg<sup>th</sup> Iron? Dog? 3<sup>rd</sup> rate

North Between Sec<sup>s</sup>. 32 & 33, Sg N R4 E.  
 42.00 a W. Oak 26 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 18 in. dia. bears N 57 E 8 lks. dist. &  
 a Hickory 18 " " " S 76 W 55 " "  
 53.30 a P. Oak 18 " " in the line  
 67.50 a Creek 15 lks. wide Course S. 60 W.  
 80.00 Set a post Cor. To Sec<sup>s</sup>. 28, 29, 32 & 33, from which  
 a W. Oak 14 in. dia. bears N 67 E 15 lks. dist. &  
 a D<sup>o</sup> 12 " " " S 53 W 30 " "  
 Land some broken timber W. & B. Oak Beech Hick<sup>y</sup>. Gum  
 underg<sup>th</sup> Dog? Iron? Sassafras. 3<sup>rd</sup> rate. Sept. 11<sup>th</sup> 1819

East On Pradom between Sec<sup>s</sup>. 28 & 33, Sg N R4 E.  
 15.50 a Creek 10 lks. wide Course South  
 40.00 Set temp<sup>y</sup>. q. Sec. post  
 80.40 Intersected the N. & S. line 16 lks. South of post  
 Land timber &c. as on the last Mile

West Corrected between Sec<sup>s</sup>. 28 & 33, Sg N R4 E.  
 40.20 Set q. Sec. post at average dist. from which  
 a W. Oak 12 in. dia. bears N 34 E 45 lks. dist. &  
 a B. Oak 24 " " " South 12 " "  
 80.40 To Section Corner

North Between Sec<sup>s</sup>. 28 & 29, Sg N R4 E.  
 10.30 a W. Oak 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a W. Oak 18 in. dia. bears S 61 W 24 lks. dist.  
 no other tree near "  
 63.35 a W. Oak 14 in. dia. in the line  
 80.00 Set a post Cor. To Sec<sup>s</sup>. 20, 21, 28, & 29, from which  
 a W. Oak 12 in. dia. bears N 56 E 25 lks. dist. &

# Sq N R 4 E 2<sup>d</sup> Mer. Indiana

a Hickory 10 in. dia. bears S 38 W 22 lks. dist.  
Land very hilly thickets of Iron. Sassafras grape vines  
&c. 3<sup>d</sup> rate

East On Random between Sec. 21 & 28, Sq N R 4 E.

40.00 Set temp<sup>y</sup>. of Sec. post

80.42 Intersected the N. & S. line 40 lks. N. of post  
Land Hilly and thickets for one mile of Iron. Sassafras  
Dog<sup>?</sup> grape &c. green briars 3<sup>d</sup> rate timber both W. Oak -

West Corrected between Sec. 21 & 28, Sq N R 4 E.

40.21 Set of Sec. post at average dist. from which  
a W. Oak 18 in. dia. bears N 37 W 10 lks. dist. &  
a Poplar 12 " " " S 30 E 16 " "

80.42 To Section Corner

North Between Sec. 20 & 21, Sq N R 4 E.

22.00 a W. Oak 14 in. dia. bears S 22 E 14 lks. in the line

38.50 a Creek 20 lks. wide Cross West

40.00 Set the of Sec. post from which  
a Sassafras 9 in. dia. bears S 44 W 14 lks. dist. &  
a Dogwood 6 " " " North 23 " "

80.00 Set a post Corner to Sec. 16, 17, 20, & 21, from which  
a W. Oak 12 in. dia. bears N 16 E 11 lks. dist. &  
a Do 20 " " " S 34 W 30 " "

Land very broken and dead full thickets of Iron?  
Dog<sup>?</sup> Sassafras grape & Green briars 3<sup>d</sup> rate

East On Random between Sec. 16 & 21, Sq N R 4 E.

40.00 Set temp<sup>y</sup>. of Sec. post.

80.08 Intersected the N. & S. line 30 lks. N. of post  
Land Hilly timber W. Oak B. Oak Hickory Beech Gum &c.  
undergrowth Dog<sup>?</sup> Iron? Sassafras &c. 3<sup>d</sup> rate

West Corrected between Sec. 16 & 21, Sq N R 4 E.

40.08 Set of Sec. post at average dist. from which

# Sg. N. R. 4 E. 2<sup>d</sup>. Mer. Indiana

a Beech 15 in. dia. bears N 32 W 17 lks. dist. 4  
 a Do 14 " " " N 19 E 25 " "  
 80.08 to Sec. Corner Sept. 12<sup>th</sup> 1819

## North Between Secs. 16 & 17, Sg. N. R. 4 E.

11.45 a B. Oak 18 in. dia. in the line

40.00 Set the q. Sec. post, from which  
 a W. Oak 14 in. dia. bears S 7 W 32 lks. dist. 4  
 a Do 18 " " " N 40 W 32 " "

59.14 a W. Oak 18 " " in the line

80.00 Set a post Cor. to Secs. 8, 9, 16 & 17, from which  
 a W. Oak 30 in. dia. bears S 73 W 36 lks. dist. 4  
 a Beech 15 " " " S 78 E 21 " "

Land hilly and poor - timber W. Oak Beech e. Oak Gum  
 some poplar, undergrowth Iron? Dog? W. Oak Sassafras etc

## East On Random between Secs. 9 & 16, Sg. N. R. 4 E.

40.00 Set temp. q. Sec. post

80.18 Intersected the N. & S. line 18 lks. South of post  
 Land hilly - timber the. as on the last mile

## West Corrected between Secs. 9 & 16, Sg. N. R. 4 E.

11.16 a Gum 18 in. dia. in the line

40.09 Set q. Sec. post at average dist. from which  
 a Beech 3 in. dia. bears S 21 E 16 lks. dist. 4  
 a W. Oak 10 " " " N 7 E 21 " "

80.18 To Section Corner

## North Between Secs. 8 & 9, Sg. N. R. 4 E.

11.20 a Beech 18 in. dia. in the line

40.00 Set the q. Sec. post, from which  
 a Gum 20 in. dia. bears N 29 W 13 lks. dist. 4  
 a Beech 10 " " " S 9 E 36 " "

76.75 a Beech 15 " " in the line

80.00 Set a post Cor. to Secs. 4, 5, 8 & 9, from which  
 a W. Oak 24 in. dia. bears S 13 E 28 lks. dist. 4



# Sq N R4 E. 2. Mer. Indiana

a B. Oak 24 in. dia. bears N 15 W 46 chs. dist.  
 Land Hilly steep and high timber W. B. H. C. Oak Gum  
 Beech Hickory. underg. B. Jack W. Oak Sassafras  
 Iron. Log. &c. 3<sup>d</sup> rate -

East On Random between Sec. 4 & 9, Sq N. R4 E.

20.00 a Creek 10 chs. wide Course North

27.50 a Do 20 " " " N. 20 W.

40.00 Set temp. q. Sec. post

50.35 Intersected the N. & S. line 25 chs. South of post

Land Rough and Hilly - timber W. B. Oak. Beech Poplar  
 Gum &c. underg. Iron. Log. W. Oak B. Jack poor 3<sup>d</sup> rate -

West Corrected between Sec. 4 & 9, Sq N. R4 E.

10.24 a Gum 18 in dia. in the line

40.17 1/2 Set q. Sec. post, at average dist. from which

a W. Oak 18 in. dia. bears N 58 E 27 chs. dist. &

a Do 16 " " " S 53 W 46 " "

comp

80.35 To Section Corner

North Between Sec. 4 & 5, Sq N. R4 E.

38.00 a Creek 50 chs. wide Course West

40.00 Set the q. Sec. post, from which

a Sugar 18 in. dia. bears N 31 W 50 chs. dist. &

an Elm 12 " " " S 16 E 28 " "

40.50 a Creek 40 chs. wide Course S 45 W

73.00 a W. Oak 18 in. dia. in the line

82.47 Intersected the N. boundary 2.78 chs. E. of post

Set a post Cor. to Sec 4 & 5, from which

a Beech 12 in. dia. bears S 45 W 6 chs. dist. &

a Do 10 " " " N 63 E 18 " "

Land and timber as on the last Mile

North Between Sec. 31 & 32, Sq N. R4 E.

25.46 a W. Oak 14 in. dia. in the line

40.00 Set the q. Sec. post, from which

# Sgt R4 E. 2<sup>d</sup> Mer. Indiana

a W. Oak 24 in. dia'. bears North 20 lks dist.  
No other timber near

58.80 a Creek 18 lks. wide Course West-

80.00 Set a post Corner to Sec<sup>s</sup>. 29, 30, 31 & 32, from which  
a W. Oak 14 in. dia'. bears S 73 E 2 lks. dist. &  
a Do 18 " " " S 71 W 43 " "

Land Hilly very high and steep - timber W. B. & C. Oak  
underg<sup>d</sup>. Sassafras B. Back Grape vines & Green briar.

East On Random between Sec<sup>s</sup>. 29 & 32, S 9 N. R 4 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post.

80.30 Intersected the N. & S. line 67 lks. South of post-

Land Hilly and thickly timbered with W. B. & C. Oak underg<sup>d</sup>.  
Sassafras Dog<sup>o</sup>. B. Back 3<sup>d</sup> rate

West Corrected between Sec<sup>s</sup>. 29 & 32, S 9 N. R 4 E.

40.15 Set q<sup>r</sup>. Sec. post at average dist. from which  
a B. Oak 10 in. dia'. bears N 58 E 15 lks. dist. &  
a Beech 9 " " " S 59 W 26 " "

80.30 to Section Corner

West Between Sec<sup>s</sup>. 30 & 31, S 9 N. R 4 E.

17.60 a W. Oak 18 in. dia'. in the line

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Sugar 14 in. dia'. bears S 47 W 23 lks. dist. &  
a Do 12 " " " S 34 W 23 " "

48.50 a Creek 20 lks. wide Course N. 80 W.

76.50 Intersected the W. boundary 80 lks. N. of post.  
Set a post Corner to Sec<sup>s</sup>. 30 & 31, from which  
a Hickory 12 in. dia'. bears N 72 E 26 lks. dist. &  
a Do 14 " " " S 34 W 4 " "

Land very High Hilly and steep thickly timbered W. B. B. Oak  
Gum Hick<sup>y</sup>. Poplar & unag<sup>d</sup>. W. Oak Sassafras Hick<sup>y</sup>. Dog<sup>o</sup>. Snow<sup>d</sup>. &c.

North Between Sec<sup>s</sup>. 29 & 30, S 9 N. R 4 E.

38.75 a W. Oak 12 in. dia'. in the line

# Sgt R4 E. 2<sup>d</sup> Mer. Indiana

- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Hickory 8 in. dia. bears N 65° W 12 1/2 lks. dist. &  
a B. Oak 4 " " " S 60° E 4 " "
- 57.26 a W. Oak 14 " " in the line
- 80.00 Set a post Cor. to Sec. 19, 20, 29, & 30. from which  
a B. Oak 14 in. dia. bears S 74° W 19 1/2 lks. dist. &  
a Dog? 6 " " " N 16° W 23 " "
- Land Hilly very thickly - timber W. B. & C. Oak Hickory  
Gum undergrowth Red bud Dog? Iron? Sassafras green  
briar 3<sup>d</sup> rate - this day it rained -

- East On Prudence between Sec. 20 & 29, Sgt N. R4 E.
- 40.00 Set temp<sup>r</sup>. q<sup>r</sup>. Sec. post
- 80.00 Intersected the N. & S. line 50 lks. S. of post  
Land timber und. fr. the same as on the last mile

- West Corrected between Sec. 20 & 29, Sgt N. R4 E.
- 40.00 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Hickory 12 in. dia. bears N 66° E 20 lks. dist. &  
a Dog 3 " " " S 21° W 4 " "
- 80.00 To Section Corner

- West Between Sec. 19 & 30, Sgt N. R4 E. Sept. 14<sup>th</sup> 1819
- 39.78 a B. Oak 24 in. dia. in the line
- 40.00 Set the q<sup>r</sup>. Sec. post, from which  
a B. Oak 14 in. dia. bears N 53° W 19 lks. dist. &  
a W. Oak 20 " " " S 46° E 13 " "
- 76.65 Intersected the W. boundary 63 lks. N. of post  
Set a post Cor. to Sec. 19 & 30, from which  
a Poplar 12 in. dia. bears N 83° W 31 lks. dist. &  
a Ironwood 6 " " " N 85° E 15 " "
- Land Hilly steep and high very thickly timber, W. & B. Oak  
Poplar Sugar Gum &c. undergrowth Iron? Dog? Sassafras 3<sup>d</sup> rate

- North Between Sec. 19 & 20, Sgt N. R4 E.
- 18.00 a Creek 20 lks. wide Course N. 40° W.

comp?

# T9 N R4 E 2<sup>d</sup> Mer. Indiana

- 24 .90 a W. Oak 24 in. dia. in the line  
 40 .00 Set the q. Sec. post, from which  
 a Beech 4 in. dia. bears N 86 E 26 chs. dist. 4  
 a Hickory 14 " " " N 83 W 45 " "  
 70 .45 a Gum 14 " " in the line  
 80 .00 Set a post Corner to Secs. 17, 18, 19 & 20, from which  
 a W. Oak 15 in. dia. bears N 2 1/2 E 32 chs. dist. 4  
 a Hickory 9 " " " S 18 W 11 " "  
 Land Hilly broken and poor - timber W. Oak B. Oak Hickory.  
 Gum etc. ung? Sassafras Iron? Dog? etc.

- 
- East On Random between Secs. 17 & 20, T9 N R4 E  
 40 .00 Set temp? q. Sec. post  
 80 .24 Intersected the N. & S. line 64 chs. North of post  
 Land rough and Hilly - timber, W. Oak Gum Hickory.  
 undergrowth Iron? Dog? W. Oak B. Oak Jack etc. 3<sup>d</sup> rate -

- 
- West Corrected between Secs. 17 & 20, T9 N R4 E.  
 40 .12 Set q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bears N 11 E 23 chs. dist. 4  
 a Maple 12 " " " S 53 E 15 " "  
 80 .24 to Section Corner -

- 
- West Between Secs. 18 & 19, T9 N R4 E.  
 10 .00 a Creek 15 chs. wide Course S 40 W.  
 15 .50 a Poplar 48 in. dia. in the line  
 40 .00 Set the q. Sec. post, from which  
 a Beech 4 in. dia. bears N 10 E 12 chs. dist. 4  
 a Do 10 " " " S 11 W 23 " "  
 57 .46 a W. Oak 20 " " in the line  
 76 .74 Intersected the West boundary 35 chs. North of post  
 Set a post Cor. to Secs. 18 & 19, from which  
 a Hickory 10 in. dia. bears N 29 E 28 chs. dist. 4  
 a Do 14 " " " S 22 E 32 " "  
 Land Hilly and thickly timbered W. Oak Hickory, Beech  
 undergrowth Iron? Dog? W. Oak B. Oak & Green briars



## T9 N. R4 E. T. Mer. Indiana

North Between Secs. 17 & 18. T9 N. R4 E.  
 10.00 a Creek 15 lks. wide Course S40 E.  
 31.50 a W. Oak 14 in. dia. in the line  
 40.00 Set the q. Sec. post from which  
 a Ironwood 6 in. dia. bears S54W19 lks. dist. &  
 a Poplar 24 " " " N79E25 " "  
 56.00 a W. Oak 26 " " in the line  
 80.00 Set a post Cor. to Secs. 7, 8, 17 & 18, from which  
 a Hickory 10 in. dia. bears S31W18 lks. dist. &  
 a Beech 14 " " " N18E23 " "  
 Land broken & hilly deep gulps - timber W. B. Oak  
 Buck Gum & Hickory undergrowth Dog. Iron. W. Oak  
 Sassafras & grape vines &c. 3<sup>d</sup> rate -

East On Random between Secs. 8 & 17. T9 N. R4 E.  
 40.00 Set temp. q. Sec. post  
 80.40 Intersected the N. & S. line 65 lks. North of post  
 Land timber &c. as on the last mile. Sept. 15

West Corrected between Secs. 8 & 17. T9 N. R4 E.  
 40.20 Set q. Sec. post at average dist. from which  
 a Beech 14 in. dia. bears N54W38 lks. dist. &  
 a Gum 10 " " " S32E15 " "  
 80.40 To Section Corner

West Between Secs. 7 & 18. T9 N. R4 E.  
 20.58 a W. Oak 18 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Gum 14 in. dia. bears S16E7 lks. dist. &  
 a Beech 6 " " " N28W22 " "  
 60.17 a B. Oak 20 " " in the line  
 76.88 Intersected the W. boundary 15 lks. North of post  
 Set a post Cor. to Secs. 7 & 18, from which  
 a Beech 14 in. dia. bears S69W21 lks. dist. &  
 a B. 12 " " " N24E22 " "  
 Land Hilly all the way - timber W. & B. Oak. Hickory

T9 N R4 E 2<sup>nd</sup> Mer. Indiana

Gum Beech &c. undergrowth W. Oak Hickory Iron? Dog? 3<sup>rd</sup> rate -

North Between Sec.<sup>s</sup> 7 & 8, T9 N, R4 E.  
 26.90 a B. Oak 26 in. dia. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post from which  
 a Beech 15 in. dia. bears North 23. lks. dist. &  
 a Do 6 " " " S 60 E 1 " "  
 30.00 Set a post Cor. to Sec.<sup>s</sup> 5, 6, 7 & 8, from which  
 a Beech 10 in. dia. bears N 8 W 14 lks. dist. &  
 a Do 10 " " " S 38 E 12 " "  
 Land High & Hilly timber W. B. Oak Gum Beech &c.  
 undergrowth Iron? Dog? W. Oak Beech &c. 3<sup>rd</sup> rate

East On Random between Sec.<sup>s</sup> 5 & 8, T9 N, R4 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 30.38 Intersected the N. & South line 25 lks. N. of post.  
 Land broken steep gulps almost impossible timber  
 W. B. Oak Beech Gum undergrowth Sassafras Greenbrier &c

West Corrected between Sec.<sup>s</sup> 5 & 8, T9 N, R4 E.  
 40.19 Set q<sup>r</sup>. Sec. post at average dist. from which  
 a Hickory 12 in. dia. bears N 77 E 21 lks. dist. &  
 a Beech 6 " " " S 56 W 10 " "  
 30.38 to Section Corner

West Between Sec.<sup>s</sup> 6 & 7, T9 N, R4 E.  
 18.30 a B. Oak 18 in. dia. in the line  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
 a B. Oak 20 in. dia. bears N 23 W 19 lks. dist. &  
 a Do 24 " " " S 55 E 23 " "  
 77.14 Intersected the W. boundary 62 lks. South of post  
 Set a post Cor. to Sec.<sup>s</sup> 6 & 7, from which  
 a Gum 14 in. dia. bears N 40 E 8 lks. dist. &  
 a Dog? 4 " " " S 8 W 21 " "  
 Land High Hilly and steep timber W. Oak Hickory  
 B. Oak B. Oak Beech undergrowth Dogwood

T<sup>9</sup>N - R<sup>4</sup>E. 2<sup>d</sup>. Mer. IndianaIronwood W. Oak &c. 3<sup>d</sup>. rate -North Between Sec<sup>s</sup>. 5 & 6. T<sup>9</sup>N. R<sup>4</sup>E.

40.00 Set the q<sup>r</sup>. Sec. post from which  
 a Sugar 12 in. dia<sup>r</sup>. bears S 8<sup>1</sup>/<sub>2</sub> E 53 chs. dist. 4  
 a Beech 4 " " " N 50 E 15 " "

82.52 Intersected the North boundary 3.06 lks. East of post  
 Set a post Cor. to Sec<sup>s</sup>. 5 & 6. from which  
 a Sugar 15 in. dia<sup>r</sup>. bears N 59 E 29 chs. dist. 4  
 a Beech 12 " " " S 41 W 18 " "

Sand Prough Stony high hills and steep gulfs timber  
 W. & B. Oak Gum &c. undergrowth Dog. Iron. 3<sup>d</sup>. rate.

---

Surveyed by A. K. Looker, Deputy Surveyor

End of vol. IV.

Comp<sup>d</sup>.

I Certify that the foregoing transcript of field notes of  
 Township N<sup>o</sup> 9 North, Range N<sup>o</sup> 4 E. 2<sup>d</sup>. Mer. Indiana has  
 been Compared with the original notes in this Office and  
 found to be Correct.

Surveyor General's Office  
 Cincinnati, July 26<sup>th</sup> 1844

W. H. Raine  
 Sur. Genl.